

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Application No. 10/617,161

REPLACEMENT CLAIM SET

Upon entry, the following claim set replaces and supercedes all previous claim sets in this matter:

1. (Currently Amended) A mobile material transfer unit comprising:
 - a mounting platform comprising a top side and a bottom side;
 - an axle attached to the mounting platform;
 - a plurality of wheels attached to the axle;
 - an access platform attached to the mounting platform, wherein the access platform comprises a stairway extending from said mounting platform and a landing platform extending from said stairway;
 - a compressor attached to the mounting platform for creating a pressure differential between a first storage medium and a second storage medium; and
 - pipng to facilitate the transfer of material between the first storage medium and the second storage medium.
2. (Original) The mobile material transfer unit of Claim 1 further comprising:
 - a fuel tank attached to the mounting platform; and
 - a tow hitch attached to the mounting platform.
3. (Original) The mobile material transfer unit of Claim 2 further comprising a fuel line, wherein a first end of the fuel line is connected to the fuel tank and a second end of the fuel line is connected to the compressor, whereby the fuel line provides a path for fuel to flow from the fuel tank to the compressor.
4. (Original) The mobile material transfer unit of Claim 2, wherein the tow hitch is capable of being attached to a hitch ball.

Application No. 10/617,161

5. (Currently Amended) The mobile material transfer unit of Claim 1, wherein the access platform further comprises;

an elongated access member attached to the mounting platform and extending from said mounting platform;

[[a]]the stairway attached to the access member;

[[a]]the landing platform attached to the access member; and

a gangway attached to a first side of the landing platform.

6. (Original) The mobile material transfer unit of Claim 1, wherein the compressor further comprises:

an engine for powering the compressor; and

a clutch for transferring the power created by the engine to the compressor.

7. (Original) The mobile material transfer unit of Claim 1, wherein the compressor is a liquefied petroleum gas vapor compressor.

8. (Currently Amended) The mobile material transfer unit of Claim 1, wherein the piping to facilitate the transfer of pressurized liquid from the first storage medium to the second storage medium ~~the tank car and the tank~~ comprises:

a first set of piping connected to the compressor and capable of being connected to the first storage medium;

a second set of piping connected to the compressor and capable of being connected to the second storage medium;

a third and fourth set of piping capable of fluidly connecting the first storage medium to the second storage medium;

a plurality of valves capable of adjusting the flow of material and vapor through the first, second, third, and fourth sets of piping; and

a plurality of piping connectors for attaching the first, second, third, and fourth sets of piping to the first and second storage mediums.

Application No. 10/617,161

9. (Original) The mobile material transfer unit of Claim 1, wherein the mounting platform comprises:

a first pair of elongated members;

a second pair of elongated members attached to the first pair of members to form a quadrilateral; and

a cover plate attached to the first and second pair of elongated members.

10. (Original) The mobile material transfer unit of Claim 9, wherein the cover plate comprises metal.

11. (Currently Amended) The mobile material transfer unit method of Claim 1, wherein the first storage medium comprises a rail tank car.

12. (Currently Amended) The mobile material transfer unit method of Claim 1, wherein the first storage medium comprises a tanker truck.

13. (Currently Amended) The mobile material transfer unit method of Claim 1, wherein the first storage medium comprises a storage tank.

14. (Currently Amended) The mobile material transfer unit method of Claim 1, wherein the second storage medium comprises a rail tank car.

15. (Currently Amended) The mobile material transfer unit method of Claim 1, wherein the second storage medium comprises a tanker truck.

16. (Currently Amended) The mobile material transfer unit method of Claim 1, wherein the second storage medium comprises a storage tank.

Application No. 10/617,161

17. (Currently Amended) A method for unloading material at a plurality of remote locations comprising:

providing a first and a second location[[s]] accessible by a first storage medium, wherein the first storage medium is mobile and can be maneuvered while comprising the material;

transporting a mobile material transfer unit to the first location and completing a first transfer operation of a first material from the first storage medium, wherein the first transfer operation comprises a compressor creating a pressure differential at the first storage medium and at a second storage medium; and

transporting the mobile material transfer unit to the second location and completing a second transfer operation of a second material from a second storage medium.

18. (Original) The method of Claim 17, wherein the method of completing a transfer operation comprises:

placing the mobile material transfer unit near the first storage medium containing the first material; and

unloading the first material from the first storage medium to a receiving storage medium by employing the mobile material transfer unit.

19. (Original) The method of Claim 18, wherein the first storage medium comprises a rail tank car.

20. (Original) The method of Claim 18, wherein the first storage medium comprises a storage tank.

21. (Original) The method of Claim 18, wherein the first storage medium comprises a tanker truck.

22. (Original) The method of Claim 18, wherein the receiving storage medium comprises a rail tank car.

Application No. 10/617,161

23. (Original) The method of Claim 18, wherein the receiving storage medium comprises a storage tank.

24. (Original) The method of Claim 18, wherein the receiving storage medium comprises a tanker truck.

25. (Original) The method of Claim 17, wherein the first material comprises a liquid.

26. (Original) The method of Claim 17, wherein the first material comprises liquefied petroleum gas.

27. (Original) The method of Claim 17, wherein transporting of the mobile material transfer unit is accomplished without disassembly of the mobile material transfer unit.

28. (Original) The method of Claim 17, wherein the first and second location are the same.

29. (Original) The method of Claim 17, wherein the first and second locations are separated by less than 10 miles.

30-33. (Canceled)

34. (Original) The method of Claim 17, wherein the first and second locations are separated by less than 300 miles.

35. (Original) The method of Claim 17, wherein the first and second locations are separated by a distance greater than or equal to 300 miles.

36. (Original) The method of Claim 17, wherein transporting the mobile material transfer unit comprises:

attaching the mobile material transfer unit to a motorized vehicle; and

Application No. 10/617,161

towing the mobile material transfer unit from a first location to a second location.

37. (Original) The method of Claim 17, wherein the method of transporting the mobile material transfer unit comprises:

- positioning an access platform in a transporting position;
- securing the access platform to a mounting platform;
- attaching the mobile material transfer unit to a motorized vehicle; and
- transporting the mobile material transfer unit with the motorized vehicle to the second location.

38. (Original) The method of Claim 37, wherein the motorized vehicle comprises an automobile.

39. (Original) The method of Claim 37, wherein the motorized vehicle comprises a truck.

40. (Original) The method of Claim 17, wherein the mobile material transfer unit comprises:

- a mounting platform comprising a top side and a bottom side;
- an axle attached to the mounting platform;
- a plurality of wheels attached to the axle;
- a telescoping access platform attached to the mounting platform and capable of being adjusted in the vertical direction;
- a compressor attached to the mounting platform, for creating a pressure differential between the first storage medium and a receiving storage medium; and
- piping to facilitate transfer of a pressurized material between the first storage medium and the receiving storage medium.

41. (Original) The method of Claim 17, wherein the first location comprises a storage terminal.

Application No. 10/617,161

42. (Original) The method of Claim 17, wherein the first location comprises a railroad yard.

43. (Original) The method of Claim 17, wherein the first location comprises a railroad spur.

Application No. 10/617,161

44. (Original) A mobile material transfer unit comprising:
a mounting platform comprising a top side and a bottom side;
an axle attached to the mounting platform;
a plurality of wheels attached to the axle;
a telescoping access platform attached to the mounting platform and capable of being adjusted in the vertical direction;

a compressor attached to the mounting platform for creating a pressure differential between a first storage medium and a second storage medium; and
piping and hoses to facilitate transfer of a material between the first storage medium and the second storage medium.

45. (Original) The mobile material transfer unit of Claim 44 further comprising a fuel tank attached to the mounting platform.

46. (Original) The mobile material transfer unit of Claim 44 further comprising a tow hitch attached to the mobile material transfer unit.

47. (Original) The mobile material transfer unit of Claim 46, wherein the tow hitch is capable of being attached to a hitch ball.

48. (Original) The mobile material transfer unit of Claim 44, wherein the telescoping access platform comprises;

an elongated access member attached to the mounting platform;
a stairway slidably attached to the mounting platform;
a landing platform attached to the access member;
a gangway attached to a first side of the landing platform; and
a lift for raising and lowering the gangway and landing platform.

49. (Original) The telescoping access platform of Claim 48, wherein the lift is a pneumatic lift.

Application No. 10/617,161

50. (Original) The telescoping access platform of Claim 48, wherein the lift is a hydraulic lift.

51. (Original) The telescoping access platform of Claim 48, wherein the lift is a mechanical lift.

52. (Original) The mobile material transfer unit of Claim 44, wherein the compressor further comprises:

- an engine for powering the compressor; and
- a clutch for transferring the power created by the engine to drive the compressor.

53. (Original) The mobile material transfer unit of Claim 52, wherein the compressor is a liquefied petroleum gas vapor compressor.

54. (Original) The mobile material transfer unit of Claim 44, wherein the mounting platform comprises:

- a first pair of elongated members;
- a second pair of elongated members attached to the first pair of elongated members to form a quadrilateral; and
- a cover plate attached to the first and second pair of elongated members.

Application No. 10/617,161

55. (Currently Amended) A method for transferring at least one of a plurality of materials between at least one of a plurality of storage mediums comprising:

maneuvering a mobile storage medium into a first position

placing a mobile material transfer unit near the mobile first storage medium comprising containing a first material;

unloading the first material from the mobile first storage medium to a second storage medium; and

maneuvering the mobile material transfer unit near a third storage medium containing a second material.

56. (Original) The method of Claim 55, wherein the first material is a liquid.

57. (Original) The method of Claim 55, wherein the first material is liquefied petroleum gas.

58. (Original) The method of Claim 55 further comprising unloading the second material from the third storage medium to the second storage medium.

59. (Original) The method of Claim 55 further comprising unloading the second material from the third storage medium to a fourth storage medium.

60. (Currently Amended) The method of Claim 55, wherein the mobile first storage medium comprises a rail tank car.

61. (Currently Amended) The method of Claim 55, wherein the mobile first storage medium comprises a tanker truck.

62. (Canceled)

63. (Original) The method of Claim 55, wherein the second storage medium comprises a rail tank car.

Application No. 10/617,161

64. (Original) The method of Claim 55, wherein the second storage medium comprises a tanker truck.

65. (Original) The method of Claim 55, wherein the second storage medium comprises a storage tank.

66. (Original) The method of Claim 55, wherein maneuvering the mobile material transfer unit comprises towing the mobile material transfer unit with one of an automobile and a truck.

67-68. (Canceled)

69. (Currently Amended) The method of Claim 55, wherein the mobile first-storage medium and the third storage medium are separated by less than fifty miles.

70. (Currently Amended) The method of Claim 55, wherein the mobile first-storage medium and the third storage medium separated by a distance greater than or equal to fifty miles.

71. (Original) The method of Claim 55, wherein the mobile material transfer unit is maneuvered a distance of zero feet.

Application No. 10/617,161

72. (Currently Amended) A method for transferring material liquid from a first storage medium comprising:

moving a mobile material transfer unit to a location where the unit is capable of being coupled to ~~[[a]]~~the first storage medium containing the ~~[[a]]~~material;

creating a pressure differential with a self-contained source positioned on the mobile material transfer unit, wherein the pressure differential is created by increasing the pressure at the first storage medium and decreasing the pressure at a second storage medium;

transferring ~~pumping~~ the material through piping and hoses with the mobile material transfer unit; and

moving the mobile material transfer unit away from the storage medium.

73. (Original) The method of Claim 72, wherein moving the mobile material transfer unit comprises towing the material transfer unit over a public road.

74. (Currently Amended) The method of Claim 72, wherein moving the mobile material transfer unit comprises towing the material transfer unit over a public road with one of an automobile and a truck.

75. (Original) The method of Claim 72, wherein creating the pressure differential with a self-contained source further comprises creating the pressure differential with a combustible fuel powered compressor.

76. (Original) The method of Claim 72, wherein the material comprises a liquid.

77. (Original) The method of Claim 72, wherein the material comprises liquefied petroleum gas.

78. (Currently Amended) The method of Claim 72 further comprising the step of moving the mobile material transfer unit to a second location where the unit is capable of being coupled to a third ~~second~~ storage medium containing a second material.

Application No. 10/617,161

79. (Original) The method of Claim 78, wherein the second material and the material are the same.

80. (Original) The method of Claim 78, wherein the distance between the location and the second location is less than one mile.

81. (Canceled)

82. (Original) The method of Claim 78, wherein the distance between the location and the second location is less than 50 miles.

83. (Original) The method of Claim 78, wherein the distance between the location and the second location is greater than or equal to 50 miles.

84. (Currently Amended) The method of Claim 72, wherein the first storage medium comprises a rail tank car.

85. (Currently Amended) The method of Claim 72, wherein the first storage medium comprises a tanker truck.

86. (Currently Amended) The method of Claim 72, wherein the first storage medium comprises a storage tank.

Application No. 10/617,161

87. (Currently Amended) A method for removing material from a rail tank car storage medium comprising:

positioning a mobile material transfer unit in a first location so that the mobile material transfer unit is capable of being coupled to ~~[[a]] the rail tank car storage medium containing~~ comprising liquefied petroleum gas;

generating power on the mobile material transfer unit;

moving the material through piping and hoses with the mobile material transfer unit; and

towing the mobile material transfer unit over a public road away to a second location.

88. (Canceled)

89. (Original) The method of Claim 87 further comprising creating a pressure differential with the generated power.

90. (Original) The method of Claim 87 further comprising creating a pressure differential with a combustible fuel powered compressor.

91. (Original) The method of Claim 87, wherein towing the mobile material transfer unit further comprises towing the mobile material transfer unit with one of an automobile and a truck.

92. (Original) The method of Claim 87, wherein the distance between the location and the second location is less than one mile.

93. (Original) The method of Claim 87, wherein the distance between the location and the second location is less than 10 miles.

94. (Original) The method of Claim 87, wherein the distance between the location and the second location is less than 50 miles.

95. (Original) The method of Claim 87, wherein the distance between the location and the second location is greater than or equal to 50 miles.

Application No. 10/617,161

96-97. (Canceled)

98. (Original) The method of Claim 87, wherein the storage medium comprises a rail tank car.

99. (Currently Amended) The method of Claim 87, wherein the material is moved from the rail tank car to storage medium comprises a tanker truck.

100. (Currently Amended) The method of Claim 87, wherein the material is moved from the rail tank car to storage medium comprises a storage tank.

Application No. 10/617,161

101. (New) The mobile material transfer unit of Claim 1, wherein the stairway is capable of being adjusted in the vertical direction.

102. (New) The mobile material transfer unit of Claim 1, wherein the stairway is slidably attached to the mounting platform.

103. (New) The mobile material transfer unit of Claim 44, wherein the piping to facilitate the transfer of the material comprises

- a first set of piping connected to the compressor and capable of being connected to the first storage medium;
- a second set of piping connected to the compressor and capable of being connected to the second storage medium;
- a third and fourth set of piping capable of fluidly connecting the first storage medium to the second storage medium;
- a plurality of valves capable of adjusting the flow of material and vapor through the first, second, third, and fourth sets of piping; and
- a plurality of piping connectors for attaching the first, second, third, and fourth sets of piping to the first and second storage mediums.

104. (New) The mobile material transfer unit of Claim 44, wherein the first storage medium comprises a rail tank car.

105. (New) The mobile material transfer unit of Claim 44, wherein the second storage medium comprises a tanker truck.

106. (New) The mobile material transfer unit of Claim 44, wherein the first storage medium comprises storage tank.

107. (New) The mobile material transfer unit of Claim 44, wherein the second storage medium comprises a rail tank car.

Application No. 10/617,161

108. (New) The mobile material transfer unit of Claim 45, further comprising a fuel line, wherein a first end of the fuel line is connected to the fuel tank and a second end of the fuel line is connected to the compressor, whereby the fuel line provides a path for fuel to flow from the fuel tank to the compressor.

109. (New) The method of Claim 75, wherein the pressure differential is generated by drawing vapor from the second storage medium, passing the vapor through the compressor and into the first storage medium.